

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 08-217046
(43)Date of publication of application : 27.08.1996

(51)Int.Cl.

B65D 1/12
B65D 21/08
// B65D 8/14


(21)Application number : 07-055194 (71)Applicant : NAKAGAKI AKIO
(22)Date of filing : 21.02.1995 (72)Inventor : NAKAGAKI AKIO

(54) PACKAGING CONTAINER

(57)Abstract:

PURPOSE: To provide a container which is strong during usage, but can be easily crushed after the usage by a method wherein on the peripheral wall of the container, spiral or zig-zag form pleats 10 are provided, and at the same time, the container is shrink-packaged with a shrinkable packaging material with a perforation.

CONSTITUTION: Spiral or zig-zag form pleats 10 are formed in the peripheral wall of a packaging container 1. Then, the periphery of the packaging container 1 is roughly wrapped with a cylindrical heat-shrinkable film 20, and the film 20 is heated, made to shrink, and joined to the peripheral wall of the packaging container 1. On the heat-shrinkable film 20, two lines of perforations 21 are provided in the longitudinal direction, and the heat-shrinkable film 20 can be removed from the packaging container 1 by tearing off an area 22 which is located between the perforations 21. As the result, the packaging container 1 can be easily deformed by an external force, and can be crushed in the longitudinal direction.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the

examiner's decision of rejection for application
converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of
rejection]

[Date of requesting appeal against examiner's
decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office



1 / 1

(19) 日本国特許庁 (J P)

(12) 公開特許公報 (A)

(11) 特許出願公開番号

特開平8-217046

(43) 公開日 平成8年(1996)8月27日

(51) Int. CL ⁸	識別記号	片内整理番号	P I	技術表示箇所
B 6 5 D 1/12			B 6 5 D 1/12	Z
21/08			21/08	
// B 6 5 D 8/14			8/14	A

審査請求 未請求 請求項の数 3 F D (全 4 頁)

(21) 出願番号 特願平7-55194

(22) 出願日 平成7年(1995)2月21日

(71) 出願人 595037814

中垣 彰夫

東京都荒川区南千住5丁目35番15号8-301

(72) 発明者 中垣 彰夫

東京都荒川区南千住5丁目35番15号8-301


(74) 代理人 弁理士 神保 欣正

(54) 【発明の名称】 包装用容器

(57) 【要約】

【目的】 使用中は強固だが、使用後は容易に押し潰すことのできる包装用容器を実現する。

【構成】 包装用容器1の周側に螺旋状又は蛇腹状の皺部10を設けると共に、周側を収縮包装材20により収縮包装し、更にこの収縮包装材には包装材の離脱手段21を設ける。



Best Available Copy

JP,08-217046,A	<input checked="" type="radio"/> STANDARD	<input type="radio"/> DOM-UP ROTATION	No Rotation <input type="checkbox"/>	<input type="checkbox"/> R	SAL	RELOAD
PREVIOUS PAGE		NEXT PAGE		DETAIL		

Copyright (C); 2000 Japan Patent Office